



**OFFICE OF THE EXECUTIVE ENGINEER  
RURAL WATER SUPPLY & SANITATION DIVISION  
NAYAGARH – 752069**

E-mail- [eerwss\\_nay@nic.in](mailto:eerwss_nay@nic.in) & [eerwssnayagarh@gmail.com](mailto:eerwssnayagarh@gmail.com) ☎ (-956753-252173)

**QUOTATION CALL NOTICE NO-07 OF 2021-22**

Sealed quotations are invited from registered manufacture/Authorized dealers/Authorized Distributor for the following items. The quotations should reach in this office on or before 20.01.2022 up to 5.00 pm & the same will be opened on 21.01.2022 at 11.00 AM in presence of the Quotationers or their authorized agents.

Sl No.	Description of Item	Qty.	Unit	Make	Rate per Unit	
					In Word.	In Figure
1	F-1 Weight Box, 1mg to 200gm/100 gm, stainless steel with SS forcep and NABL certified calibration certificate. Material 304ss, Density 7.90g/cm <sup>3</sup> , Shape-Cylindrial with standard OIML R111, Magnetic susceptibility-<0.05 and intensity of polarization < 25.must contain weights from 1mg to 200gm in a high quality aluminum box.	1	Each			
2	Micro controller based PH meter with electrode & temp. probe with calibration certificate specifications Auto calibration : 2/3 point both option Auto. Temperature compensation Accuracy: +/-0.02 PH Printer port : Yes	1	Each			
3	Micro controller based turbidity meter with calibration certificate specifications Auto calibration Source :IR LED Range: 0 to 1000NTU Accuracy: +/-1.5% FSD 0 to 500NTU	1	Each			
4	Deep freezer single door Capacity 110ltr Convertible series Corrosion-resistant body Eco-friendly refrigerant Heavy duty casters Tropicalized for harsh indian conditions Recessed handles	1	Each			



	High density PUF insulation					
5	All glass filtration assembly-47mm 47mm filter holder, filtration unit Flask capacity : 1000ml Funnel capacity : 300ml Filter support base- 47mm dia Aluminum spring clamp The filter support base design has an integral vacuum connection located above the filter drip to prevent contamination of the vacuum line from droplets. with oil free vacuum pump max vaccum-670mm/Hg Max flow rate : 18ltr/min with 1/8 HP oil free vacuum pump	1	Each			
6	Micro pipette 0.5ml variable (500ul) calibration and accuracy as per ISO 8655	1	Each			
7	Hygrometer-Digital-Battery operated-with calibration certificate with humidity and temperature large LCD display, high stability and accuracy, low power consumption, multi function, maximum and minimum temperature with ISO certified and with calibration certificate to be used for NABL laboratory Specification Temperature Range : Indoor:- 100C+500C (+140F+1220F) Outdoor- -500C+700C(- 580F+1580F) Humidity Range : Indoor 20% - 99% RH) Power supply : 1.5V (AAA Size) x 1 with ISO certified and with calibration certificate to be used for NABL laboratory	2	Each			
8	Fire Extinguisher Powder form	4	Each			
9	Thermometer-Range 0 to 100 (degree C) accuracy of 0.1 degree C with ISO certified and with calibration certificate to be used for NABL laboratory	1	Each			
10	Thermometer (Manual) with ISO certified and with calibration certificate to be used for NABL laboratory.	1	Each			

11	<p>Eye Wash-GI Valve- SS stay ball valve with push plate.          Bowl: Receptor bowl made of SS and highly resistant to acid, alkali and oil among others.          Atomizer heads: should be twin soft flow atomizer head which has aerators to control the stream straightness and diameter, thus reducing splash by aerating the stream. It also controls to save water and reduce energy costs. The twin flow has cover which protects from dust and opens with water pressures.          Activation: push plate and foot paddle.          Water inlet and drain: 1/2 inches BSP inlet and 1 1/4 inches BSP drain. Standard IS: 10592: 1982 ISO certified and with calibration certificate to be used for NABL/</p>	1	Each			
----	---	---	------	--	--	--

1. **Earnest Money Deposit:** As per office Memorandum No-8943/F/dt.18.03.2021 of Govt. of Odisha Finance Dept. no provisions regarding bids security should be kept in the bid documents and only provisions for 'Bid Security Declaration'. The Bid Security declaration in lieu of Bid security with stipulation that withdraw or modify their bids during the period of validity etc. they will be suspended from participation in bidding for three years and action will be taken to blacklisting the bidder. The Bid Security Declaration to be submitted by the bidder **Annexure-I duly notarized**, failing which the bid will be considered as non-responsive.
2. **Initial Security Deposit:** As per office Memorandum No-8952/F/dt.18.03.2021 of Govt. of Odisha Finance Dept . and as per modification of OPWD code.
3. The bid shall not be considered unless accompanied by attested true copy of manufactures certificate / valid authorized distributor certificate/Valid authorized dealership certificate and copy of PAN and GST registration certificate etc. The bid should be supported with make, model, with all relevant ISO or ISI specification / leaflet / user manual etc. of respective company if any along with the Quotation.
4. The validity of the quotation should be for a period should be not less than 90 (Ninety) days from the opening of quotation and can also be extended if agreed to by the agency and Dept. on submission of "No Claim Certificate" by the agency
5. **Rate:** The rate should be quoted in figures and words, otherwise the bid shall be liable for rejection. In case discrepancy between words and figures quoted, the rates written in words shall prevail. The bid shall be written legibly and free from errors. Cuttings / Over

- writings / corrections of figures, if un-avoidable should be made by scoring out, initialing, dating and rewriting. Quotationer must quote their rate for all items. The rate should be inclusive of packing, transportation, insurance and taxes excluding GST. GST as applicable shall be paid extra. All taxes whatever applicable is to be paid by the agency (as applicable) with transportation for delivery to Nayagarh.
6. Period of Delivery: - The materials should be delivered to the consignee's store within 15 days from the date of issue of supply order.
  7. F.O.R. :- R.W.S & S Sub-Division, Nayagarh.
  8. The details of materials with quality, make etc. if available with the agency should be appended with the Quotation. The quantities mentioned in the schedule of quantity are only approximate and can be revised up word or down word during issue of supply order. No claim to supply only the quantity as in the BoQ shall be entertained.
  9. The Quotationer shall have to furnish a certificate with the Quotation to the effect that **he is not related to any Officer of the RWS&S wing in the rank of Assistant Engineer or above and any Officer in the rank of Additional Secretary or above of Panchayat Raj & Drinking Water Department.** The Quotationer shall submit an affidavit towards the authenticity of documents submitted with the Quotation papers.
  10. The Quotationer shall **furnish a certificate in the affidavit of not having been declared ineligible earlier by any of the department / organization for corrupt and fraudulent practices. Neither any criminal cases are pending against the bidder (himself / her / partners)** at the time of submitting the Quotation.
  11. **Defective materials:** No compensation for any damage done by any means during transportation is admissible. Transit insurance is the responsibility of supplier. Defective materials if any, pointed out by the receiving Officer (Consignee), should be taken back at supplier's risk and cost within 15 days from the date of intimation by the consignee. Any quality related issues if detected during execution / within one year after completion of the supply should be rectified by the Agency at his own cost failing which the defects shall be made by the Dept. or any other agency the risk and such cost will be adjusted against the Security Deposit and/or any amount to be payable to him. Under no circumstances the interest is chargeable for the dues or additional dues if any applicable to Agency
  12. In case of delay in completion of the supply for the reasons / circumstances beyond control of the Agency, necessary application for extension of time in prescribed format may be submitted by the agency before 10 (ten) days from the stipulated date of completion of supply for consideration by competent departmental authority.
  13. That for the purpose of jurisdiction in the event of dispute or difference arising out of this contract, the law courts at Nayagarh shall only have the jurisdiction to decide. Neither of the parties is competent to bring a suit at any place outside the State of Odisha.
  14. In case of discrepancy in the description of the items in this Quotation Call Notice and Bill of quantity, the decision of the Engineer-in-Chief, R.W.S & S Odisha shall be final binding and conclusive for the purpose of this contract.
  15. The rate approved during the process will remain valid for a minimum period of six months
  16. The Authority reserves the right to reject any quotation which is non-responsive and no request for alteration, addition, modification, substitution or withdrawal shall be entertained by the Authority in respect of such quotation.
  17. The authority reserves the right to accept the lowest rate of each of the item in the bill of quantity of the valid bids, irrespective of the bidder. The bidder with highest no. of such

- lowest rates or overall lowest rate shall be given the first opportunity to negotiate on the rates quoted for other / all items.
18. Prices quoted must be firm and fixed. No price variation / escalation shall be allowed during process of completion and shall not be subject to adjustment on any account.
  19. The notice calling for Quotation, which is in display on the Office notice board would form a part of the terms & conditions of the supply order.
  20. 5% of the Basic Cost shall be withheld as **Security Deposit** from the payment due to the quotationer for a defect liability period of one year from the date of supply & testing.
  21. **Payment:**
    - (i) 90% Payment shall be made observing the formalities after receipt of the consignment and acknowledgment by the consignee within the schedule date depending on flow of funds Bills in quadruplicate along with (a) Inspection and testing report (b) Materials handing over report (c) Warranty certificate are to be furnished to the consignee for verification before payment.
    - (ii) Balance 10% of the bill will be released after receiving the successful testing certificate / report from Lab-in-charge of District Laboratory within 1 month or 30 working days, depending on flow of funds .
  22. The bill to be furnished by the supplier separately for each chargeable head in Triplicate as indicated above.
  23. **Penalty:** In the event of non-supply or part supply of the materials within the stipulated time, liquidated damage at the rate of 0.5% per week of the value of the quantum of materials involved in the delay subject to maximum of 2.5% shall be realized from the bills of the supplier.
  24. **Inspection & Testing:** The Agency, should hand over or mention about expiry period of Chemicals, Warrant certificates, Test certificates, Valid authorized Dealership certificate / Manufacture's Certificate / Distributors Certificate & the related Literature, Manufacturer's test certificate to the consignee with Bills. The minimum expiry period should not be less than 6 (Six) months. It is also as per manufacturer's details.
  25. **Inspection:** The Laboratory in-Charge shall inspect all the supplied materials as per term & conditions of the supply order.
  26. **Name of Consignee:** Assistant Executive Engineer, R.W.S & S Sub-Division, Nayagarh.
  27. The Quotation, which is not in order and not strictly according to the terms and conditions and specification as called for, is liable to rejection. No conditional Quotation will be entertained. The call notice may be seen in the Office of the Executive Engineer, RWS&S Division, Nayagarh during working days.
  28. The authority reserves the right to reject any or all quotationer without assigning any reason thereof.

  
Executive Engineer  
RWS&S Division, Nayagarh  
07.07.2017  


Memo No. : 177 /Dt.: 07.01.2022

- The Deputy Director-Cum-Deputy Secretary to Government in Information & Public Relation Deptt. Govt. of Odisha, Bhubaneswar for information with a request to arrange s publication of the Quotation Notice in consecutive issue of two local odia dailies in order to make the quotation competitive. The Advertisement also to this office through above e-mail address for reference and record.
- The D.I.O Nayagarh for information and necessary action. Necessary arrangement may please be made for availability of this advertisement in the website of www.nayagarh.nic.in up to dt. 20.01.2022, 5.00 pm.
- The Engineer-in-Chief, R.W.S & S (O) / the Chief Engineer - I, R.W.S & S (O), Bhubaneswar for favour of information with a request to display the notice in their office notice board for wide circulation.
- The Additional Chief Engineer, RWS&S Circle, Bhubaneswar for favour of information with a request to display the notice in his office notice board for wide circulation.
- The Executive Engineer(PH) / R&B / RW / Water Resources / Electrical (TPCODL) / Executive Officer, Nayagarh Municipality / Contractor Association for information and with a request to display the notice in their office notice Board for wide circulation.
- The SDO R.W.S & S Sub-Division, Nayagarh/Daspalla for information.
- All Assistant Engineer, RWS&S Section / All Junior Engineer, RWS&S Section under this division for information.
- The D.A.O / Estimators / Head Clerk / Cashier of this office for information.
- Copy to Office Notice Board / Guard File.

Executive Engineer  
RWS&S Divison, Nayagarh

7/1/22

07.01.2022



**OFFICE OF THE EXECUTIVE ENGINEER  
RURAL WATER SUPPLY & SANITATION DIVISION  
NAYAGARH – 752069**


E-mail- [eerwss\\_nay@nic.in](mailto:eerwss_nay@nic.in) & [eerwssnayagarh@gmail.com](mailto:eerwssnayagarh@gmail.com) (+956753-252173)

**QUOTATION CALL NOTICE NO-07 OF 2021-22**

The Executive Engineer, RWS&S Division, Nayagarh on behalf of Governor of Odisha invites Quotation in off-line mode from eligible registered manufacture/Authorized dealers/Authorized Distributor.


Sl. No	Nature of work:	Supply of instruments for NABL Laboratory
1.	No. of Items:	11 (Eleven) Nos
2.	Time for completion:	15 (Fifteen Days)
3.	Availability of the Quotation :	From 11.00 hour of 11.01.2022 to 17.00 hours of 20.01.2022
4.	Last Date for Receive of the Quotation:	The quotation with all related documents should be dropped on or before dt 20.01.2022 at 17.00 Hours in the quotation box, kept in the office of the Executive Engineer, RWS&S Division, Nayagarh)
5.	Date & time of opening of the Quotation	On dt 21.01.2022 at 11.00 Hours in the office of the Executive Engineer, RWS&S Division, Nayagarh(All documents should be submitted in offline only.)

Further details can be seen from the notice board in the office of the Executive Engineer, RWS&S Division, Nayagarh and from the website [www.nayagarh.nic.in](http://www.nayagarh.nic.in)

  
Executive Engineer,  
RWS&S Division, Nayagarh  
7/1/22 20/1/2022

Memo No. 177 / Dtd. 07.01.2022

Copy in duplicate forwarded to the Deputy Director-cum-Deputy Secretary to Government in Information & Public Relation Deptt. Govt. of Odisha, Bhubaneswar for information with a request to arrange a publication of the Quotation Call Notice in consecutive issue of One local English daily & two local dailies in order to make the Quotation competitive. The Advertising Manager may be requested to communicate the copies of the Advertisement also to this office through above e-mail address for reference and record.

  
Executive Engineer,  
RWS&S Division, Nayagarh  
7/1/22 20/1/2022