

TENDER PAPER
FOR

**Schedule Bid for Quotation Call for
selection of vendor for supply &
installation of ornamentals lights
and pole at Balangi park & Other
Places in Nayagarh Municipality.**

NAYAGARH MUNICIPALITY

TENDER PAPER

TECHNICAL TENDER DOCUMENT

(To be envolped in separate sealed cover)

NAME OF WORK:- Schedule Bid for Quotation call for selection of vendor for supply, installation, Testing and commissioning of Ornamental lights and poles at Balangi Park & in different other places of Nayagarh Municipality

Issued against Bank Draft No. _____ Dt. _____

Drawn on _____

For Rs _____

Cashier/Accountant

Signature of Tenderer/Agency

NAYAGARH MUNICIPALITY

No- 357 Date- 16.02.2026

Invitation of Quotation Call Notice

Nayagarh Municipality, Nayagarh invites sealed bid Quotation invited from the intending reputed and ISO certified firm/manufacture/Authorized dealers having valid H.T/M.V Electrical license as applicable from the Govt. of Odisha. The Bidder when fulfils all qualifications and criteria as specified can submit the Quotation Call for the purpose. The quoted price shall be exclusive of GST but inclusive of other taxes and conveyance charges for supplying, installation, testing & commissioning including erection and post maintenance or 3(Three) years warranty for replacement and 02(Two) years of AMC as per Agreement..

The detailed specifications, General terms & condition scope of work has been provided in scheduled bid document at annexure-I,ii &iii

The bid documents can be obtained from the office of Nayagarh Municipality on deposit of Rs.6,000/- (Rupees Six thousand only)(non-refundable) towards tender paper cost and 20,000.00(Rupees Twenty Thousand) only towards the EMD in shape of bank draft /TDR/ N.S.C Pledge the above amount in favour of Executive officer Nayagarh Municipality payable at Nayagarh during the office hour from dt.18.02.2026 to dt.06.03.2026 till 5.00 pm (Excluding holidays) towards cost of bid papers. The bid should reach to the Executive office Nayagarh Municipality through registered post /speed post only up to 5.00 pm of dt.10.03.2026 and the bid shall be opened on 11.30 am on Dt.11.03.2026 in the presence of tenderer or their authorized representatives who may be present at the time of opening of tender, Nayagarh Municipality will in no way be responsible for any delay/missing in receipt of tender documents.

The filled up bid documents shall be enclosed in a sealed envelope super scribing "Bid for **Supply & Installation of Ornamentals lights and Pole at Balangi Park,other different places in Nayagarh Municipality**. The bid papers completed in all aspect shall be submitted to to the Executive officer Nayagarh Municipality, Nayagarh, Pin-752069 through registered post /speed post only. The bid documents received beyond the stipulated date & time agencies shall be rejected.

The scheduled bid documents can also be downloaded from Nayagarh District website i.e. <http://nayagarh.odisha.in>. In such case the bidder shall enclose Bank Draft/Demand Draft Rs, 6,000/- (Rupees Six thousand only)(non-refundable) towards tender paper cost and 20,000.00(Rupees Twenty Thousand) only towards the EMD in shape of bank draft /TDR/ N.S.C Pledge the above amount in favour of Executive officer Nayagarh Municipality Nayagarh along with the bid papers as a cost of bid documents. This quotation call notice shall be also available in the office of the Executive Officer Nayagarh Municipality in office working hour 10.00 A.M to 5.00 P.M.



NAYAGARH MUNICIPALITY

Crucial Details Of Tender Call Notice



| | | |
|---|---|---|
| Tender Call Notice | 1 | TCN NO <u>357</u> /DATE <u>16.02.26</u> |
| Name of Work | 1 | Schedule Bid for Quotation call for selection of vendor for Supply, installation, Testing and commissioning of Ornamental lights and pole at Balangi park & different other places in Nayagarh Municipality |
| Cost of Tender document | 1 | 6,000/- (Rupees Six Thousand) Non-Refundable |
| EMD | | 20,000.00/- (Rupees Twenty Thousand) only. |
| Period of Sale/Download of Tender document | 1 | Dt. 18.02.2026 to dt.06.03.2026 up to 5.00pm |
| Last Date for received of the filled in the tender document | 1 | Dt. 10.03.2026 up to 5.00pm |
| Place & Date of opening of bid | 1 | Office of the Executive officer, Nayagarh Municipality Dt. 11.03.2026 at 11.30 a.m |
| Officer invited the tender | 1 | Executive officer on behalf of Nayagarh Municipality |

Signature of Tenderer/Agency



ANNEXURE-I

DESCRIPTION OF ITEM ALONG WITH TECHNICAL SPECIFICATION

| Sl.No | Description of Item | |
|-------|---|---|
| | <p>Supply, installation, Testing and commissioning of Ornamental lights and pole at Balangi park & different other places under Nayagarh Municipality with 03 years warranty & free replacement of all Items as mentioned above(as per Financial Bid).The work to be completed as per agreement.</p> | <p>Reputed ISO certified organization/Manufacturer/Dealer i.e. Orient/Havells/Jaquar/Bajaj/Hallonix</p> |
| 1 | <p>Supply, installation, Testing and commissioning of 4 mtr. long Single arm /Double arm/ four arm S-type/Downward/Upward Decorative Poles for landscape Lighting made out of combo type Hot Dip Galvanized Pipes as per the IS: 1161: 1998. Bottom - 2000mmx114mmx4mm middle 1000x114mmx4mm top 1000mmx114mmx4mm With suitable base plate size and cast aluminum Ornamental spigots at the bottom, middle and top with PYU based etch primer & matt finish on the surface to make it absolutely rust free & corrosion proof, as well as giving the pole a fantastic athletic look. Provision of elliptical service window and to mount one no. MCB with FRP pole junction box including clamps, locking arrangement and for providing connection to incomer cable and outgoing wire, Suitable bus bar arrangement to loop 2 to 3 cables of size up to 6 sqmm,6A MCB and bi-metallic connector to be provided in each junction box for supply to LED Luminaires. Supply of suitable foundation bolts is included in the cost of pole,</p> | <p>Cast Iron based Pole as mentioned in Annexure-ii</p> |
| 2 | <p>Supply, installation, Testing and commissioning of Rope Light Conforming to IS 10322 Number of LEDs per meter120, WW/CW/Tri colour SMD LED Strip as per LM 80/IS16106 IP 66 housing flexible PCB Cover transparent PVC suitable for out door & indoor luminous Flux 650lm/m. (Make-Bajaj/Crompton/Havells/Phillips/Jaquar /Equivalent)</p> |  |
| 5 | <p>Supply, installation, Testing and commissioning of 15W/36 Watt WW/CW SMD LED chip IP66,garden spike light with MS frame protection cover strictly as per direction of the Engineer-In-Charge. (Make-Bajaj/Crompton/Wipro/Havells/ Jaquar /Orient)</p> |  |



DESCRIPTION OF ITEM ALONG WITH TECHNICAL SPECIFICATION

Note:-

- ❖ GST should be quoted separately as application (Exclusive)
- ❖ The Price should be quoted per unit only inclusive of all incidental Cost & Truces. Transportation cost, Labour cost, Pole erection, Warranty, Office setup etc.

Availability of test report from Central Govt/NABL accredited//ILAC accredited lab to prove conformity to specification.

Signature of Tenderer/Agency



Supply, installation, testing and commissioning of
 Light conforming to IS 10373 (Minimum of LED's per
 meter) 30Watt (Minimum of 3000 lumens) as per LM
 3082/08 IP 65 housing flexible PCB Cover transparent
 PVC suitable for outdoor & indoor luminous flux
 600lm.
 (Make: (Any) (Country: (Any) (Price: (Any) (Brand: (Any))

Supply, installation, testing and commissioning of
 15Watt WVCW SMD LED chip IP65 garden spike
 light with MS frame protection cover strictly as per
 direction of the Engineer-in-Charge. (Make-
 (Any) (Country: (Any) (Price: (Any) (Brand: (Any))

Financial Bid

| Sl.No. | Description | Brand | Unit | Integrated all in one type | |
|--------|--|-------|------|----------------------------|-------|
| | | | | Figure | Words |
| 1 | <p>a.) Supply, Installation, Testing & Commissioning, of Decorative Cast Iron Garden light pole with Double arm Light (60W) with aluminum die casting body and high esthetic look as per Annexure -II with 4000mm height and attached with their necessary cable. Model-VHP-A-101-40/VHP-B-104-40/VHP-C-107-40, Including Construction of R.C.C foundation for erection of pole.</p> <p>b.) Arm Model-VHBR-D-001/VHBR-D-002 /VHBR-D-004</p> <p>c.) Light 60Watt Model-VGL-003-D, /VGL-005-D. IP65 (Make- Bajaj/Jaquar/Havells/Halorix/Crompton)</p> | | 1Set | | |
| 2 | <p>a.) Supply, Installation, Testing & Commissioning, of Decorative Cast Iron Garden light pole with Single arm Light (60W) with aluminum die casting body and high esthetic look as per Annexure -II with 4000mm height and attached with their necessary cable. Model-VHP-A-101-40/VHP-B-104-40/VHP-C-107-40, Including Construction of R.C.C foundation for erection of pole.</p> <p>b.) Arm Model-VHBR-S-001/VHBR-S-002/VHBR-S-004</p> <p>c.) Light 60Watt Model-VGL-003-D, /VGL-005-D IP65. (Make- Bajaj/Jaquar/Havells/Halorix/Crompton)</p> | | 1Set | | |

Q

[Handwritten Signature]

| | | | | |
|---|--|------|--|--|
| <p>3</p> <p>a.) Supply, Installation, Testing & Commissioning, of Decorative Cast Iron Garden light pole with Post Top Light (60W)with aluminum die casting body and high esthetic look as per Annexure -II with 4000mm height and attached with their necessary cable. Model-VHP-A-101-40/VHP-B-104-40/VHP-C-107-40 ,Including Construction of R.C.C foundation for erection of pole.</p> <p>b.) Light 60Watt Model-VGL-003-U/VGC-006/VGL-001-U, IP65 (Make- Bajaj/Jaquar/Havells/Haloniix/Crompton)</p> | | 1Set | | |
| <p>4</p> <p>Supply, Installation, Testing & Commissioning of Flexible Led light strip for outdoor and indoor with 120 LED per meter with tricolor/different colour with their extruded housing, end cap w/with mounting clamp 10 no with 18meter length. IP65 (Make- Bajaj/Jaquar/Havells/Haloniix/Crompton)</p> | | Mtr. | | |
| <p>5</p> <p>Supply, Installation, Testing & Commissioning of Outdoor Spot light with IP65 specification with aluminum die casting body .(15W) (Make- Bajaj/Jaquar/Havells/Crompton)</p> | | No. | | |

| | | | | | |
|----|---|--|------|--|--|
| 6 | Supply, Installation, Testing & Commissioning of Outdoor Spot light with IP65 specification with alum num die casting body .(36W) (Make- Bajaj/Jaquar/Havells/Crompton) | | No. | | |
| 7 | Supply, Installation, Testing & Commissioning of Outdoor Steps light with IP65 specification with aluminum die casting body .(6W) (Make- Bajaj/Jaquar/Havells/Crompton) | | No. | | |
| 8 | Supply, Installation, Testing & Commissioning of Armoured Cable 2CX10sq.mm(Make- Polycab/Havells/KEI) | | Mtr. | | |
| 9 | Supply, Installation, Testing & Commissioning of Armoured Cable 2CX6 Sq.mm(Make- Polycab/Havells/KEI) | | Mtr. | | |
| 10 | Supply, Installation, Testing & Commissioning of 2 X 1.5sq.mm +1 X 1.5sqmm Copper sizes of PVC insulated single core multistrand copper conductor ISI marked (make of wire - inolex/L&T/Anchor/Havells/V-Guard/KEI/RHINO) | | Mtr. | | |
| 11 | Timer with MCB Panel Box | | No. | | |


| | | | | | |
|----------------------------|--|--|----------|--|--|
| 12 | S/F of 72 Watt LED decorative garden Light. Fixture should be suitable for 4 Mtr Decorative pole entry with fixing bolts, etc. Model-VGL-001-U/D, VGL-002-U/D, VGL-003-U/D, VGC-005. IP65 (Make-Crompton/ Philips/Bajaj/Havells/Jaquar) | | NO. | | |
| 13 | S/F of 120 Watt LED decorative garden Light. Fixture should be suitable for 4 Mtr Decorative pole entry with fixing bolts, etc. Model-VGL-001-U/D, VGL-002-U/D, VGL-003-U/D, VGC-005. IP65 (Make-Crompton/ Philips/Bajaj/Havells/Jaquar) | | NO. | | |
| 14 | After Warranty Period of 3years the AMC for next 02years as per agreement. | | Per Year | | |
| Total Quoted Figure | | | | | |


The specific images of above items are attached in Annexure-I

Signature of Tenderer/Agency

ANNEXURE-II (Page - 01 to 08)


GARDEN LIGHT POLE





[Handwritten signatures]


VGL - 005



VGL-005-U

VGL-005-D

VGC-006




[Handwritten signature]
16/02/26

[Handwritten signature]
16/02/26

[Handwritten signature]


VGL - 003



VGL-003-U

VGL-003-D

VGL - 004



VGL-004-U

VGL-004-D

[Handwritten signature]
16/02/26


[Handwritten signature]
16/02/26

[Handwritten signature]


LIGHT



VGL - 001




VGL-001-U




VGL-001-D

VGL - 002



VGL-002-U





VGL-002-D


Handwritten signature
16/02/26

VHBR - 003

THQII




VHBR-D-003




VHBR-S-003

VHBR - 004



VHBR-D-004



VHBR-S-004

VENUSTO DESIGNER POLES



[Signature]
16/02/26

[Signature]
16/02/26


[Signature]

LIGHT ARM

VHBR - 001





VHBR-D-001




VHBR-S-001

VHBR - 002




VHBR-D-002



VHBR-S-002

RIGHT ARM

VHP - C - 107




[Handwritten signature]
16/08/26

[Handwritten signature]
16/02/26

[Handwritten signature]

Technical Notes


- Supply, installation and fixing of Cast Iron Decorative Garden Lighting the pole base, light arm, light fitting shall be exactly similar looking as shown in the drawing or pictures.
- **Finishing:**
 - i. Epoxy Finishing process as per the ISI standard. All parts must be clean by SHOT blasting or SAND blasting process, Epoxy Primer as a first coat, then second coat will be Epoxy Top Coat after then antique effect with metallic colour & final top coat with PU Clear Lacquer (to prevent ultra violet rays). Overall thickness will be ranging between 65 to 75 micron.
 - ii. Metallic Finishing process as per the ISI standard. All parts must be clean by SHOT blasting or SAND blasting process, Metallic Primer as a first coat, then second coat will be Metallic Top Coat then antique effect with metallic colour & final top coat with PU Clear Lacquer (to prevent ultra-violets ray). Overall thickness will be ranging between 65 to 75 micron. Available Color Finishing – Antique Gold, Antique Green & Antique Copper.
- **Material Specification:** All this above parts made in cast iron castings must be of FG-15 grade as per IS 210(1993) standard, Hardness must be in range between 150 BHN to 165 BHN. Cast Iron must have Chemical composition of Carbon-3.9% to 4.2% & Silicon-1.9% to 2.4%. for giving proper Welding (Mig + CO2).
- **Light Specification** 60 Watt Tear drop (Down ward/Upward) LED decorative garden Light .
- Frequency-50Hz
- Voltage/Current: 240V-0.150-0.180A
- Wattage 240V-60 Watt



Material of construction: Die cast Aluminium Housing,
polycarbonate Diffuser powder coated,
Ingress Protection: IP65, LED: 3000-

- 4000 deg. K +/-500K, Driver Efficiency: $\geq 85\%$, Surge protection: 4kV, Power factor: $\geq 90\%$, THD: $\leq 10\%$,
- Operating input voltage range: 150 - 270V, Power
- consumption: 60 Watt . Fixture should be suitable for 4 Mtr Decorative pole entry with fixing bolts,etc.. (Make- Crompton/ Philips/Bajaj/Havells/Jaquar)


10/01/26


16/02/26



Wattage 240V-60 Watt
Voltage/Current: 240V-0.150-0.180A
Frequency-50Hz

ward/upward) LED decorative garden light
light specification 60 Watt Tear drop (Down

to 2.4% for giving proper Welding (MIG+CO₂)
composition of Carbon-0.2% to 0.25% & Silicon-1.0%
150 BHN to 155 BHN Cast Iron must have Chemical
210(1993) standard. Hardness must be in range between
cast iron castings must be of FG-15 grade as per IS
Material specification. All the above parts made in

Copper.
Finishing - Antique Gold, Antique Green & Antique
tanging between 65 to 75 micron. Available Color
prevent ultra-violet rays). Overall thickness will be
& first top coat with PU Clear lacquer
Cost their antique effect with metallic colour
first coat. Then second coat will be Metallic Top
SAND blasting process. Primer as a
All parts must be clean by SHOT blasting or
ii. Metallic Finishing process as per ISI standard.
tanging between 65 to 75 micron.
(to prevent ultra-violet rays). Overall thickness will be
metallic colour & first top coat with PU Clear lacquer
will be Epoxy Top Coat after their antique effect with
process. Epoxy Primer as a first coat, then second coat
parts must be clean by SHOT blasting or SAND blasting
All Epoxy Finishing process as per the ISI standard.

ANNEXURE-III

TECHNICAL BID

GENERAL PARTICULARS TO BE SUBMITTED BY THE TENDERER

| | | |
|----|---|--|
| 1 | Nature of Bidder/Firm/Authorized Dealer | |
| 2 | Postal Address | |
| 3 | E-mail address for communication | |
| 4 | Telephone, Fax No. | |
| 5 | Name, Designation & Contact No. of the representative of the tender to whom all reference shall be made. | |
| 6 | Nature of firm with valid Electrical Licence MV/HT(Individual/Partnership/Pvt/Public Ltd/Public Sector)(Please attach attest copy of registration): | |
| 7 | Amount and Particulars of the cost of tender paper deposit (Original DD) | |
| 8 | GST registration (Copy to be enclosed) | |
| 9 | Pan Card No. (Xerox Copy to be enclosed) with 3 year IT Returned field copy(22-23,23-24,24-25). | |
| 10 | Average Annual turnover Rs.1 crore since last 3 years (Balance sheet and profit & loss of last 3 years i.e 22-23,23-24,24-25) | |
| 11 | Undertaking on the firm being not blacklisted/disbarred by any institution on any ground. | |
| 12 | Experience in similar nature of work backed by satisfactory certificate from any gov. institutions for last two years(23-24,24-25) | |
| 13 | i) Technical Bid ii) Financial Bid | |

| | | |
|----|--|--|
| 14 | Undertaking to unconditional acceptance of all terms & conditions of the bid Documents | |
| 15 | Other documents if any, as the bidder wants to enclosed | |

Signature of the Bidder with seal

Name of Bidder/Firm/Authority or District

Postal Address

E-mail address for communication

Telephone, Fax No.

Name, Designation & Contact No. of the representative of the firm to whom all reference will be made

Name of firm with valid (National) Tax ID No. (Individual, Partnership, Public Ltd./Private sector) (Please attach a valid copy of registration)

Amount and Particulars of the bid in local paper deposit (Original)

GST registration (Copy to be enclosed)

For and No. (Kerox Copy to be enclosed) with year of renewal filed up to 20/03/24

10. Average Annual turnover for last 3 years (Balance sheet and Profit & Loss of last 3 years) 22-23, 23-24, 24-25

11. Undertaking on the firm being not blacklisted/debarred by any international or any ground.

12. Experience in similar nature of work backed by satisfactory certificate from any Govt. institutions for last two years (23-24, 24-25)

(Technical Bid)

(Financial Bid)

Signature

General Terms and conditions:

1. The bid documents to be submitted in sealed cover and shall contain a copy of tender Document as a token of acceptance of terms and conditions. Attested copy of valid registration certificate, Pan Card & Valid GST registration.
2. The sealed cover shall carry two number of sealed envelope inside.
 - a. One cover for technical bid containing all documents, related Bank drafts, technical bid paper, etc. clearly superscript as technical bid on the envelope.
 - b. One cover for financial bid containing only financial bid enclosed in the sealed Cover of financial bid on the envelope.
3. The technical bid will be evaluated first. The financial bid will be opened and evaluated of successfully qualified technical bidders only. The financial evaluation will evaluation will be done on.L1 basis for each item of work. The work order will be awarded to the most responsive L1 bidder. However, the authority reserves right to accept or reject the L1 rate offered by the bidder.
4. The offer shall be valid for minimum of 1 (one) year from the date of finalization of tender.
5. The earnest money deposit of tenderes who are not awarded with the work will be refunded on receipt of written request.
6. The bidder shall bear insurance, force measure damages inventory storage facility, replacing the defect materials, service center setup, etc. at his own cost.
7. Any dispute arises shall be settled in the court of law within the jurisdiction of Nayagarh Municipality.
8. Limitation of liability-the authority/ Govt. will in no case be responsible for any accidental fatal or non-fatal, caused by any worker or outsider in course of transportation and execution of work. The cost of expenses including treatment or compensation will entirely be borne by the bidder.
9. The authority has the right to inspect the materials and can reject partly or fully each materials if found defective at the time of execution.
10. The successful bidder shall deposit a sum of of Rs.1,00,000.00(Rupees One Lakhs)only towards initial security money in favour of Executive Officer, Nayagarh Municipality before agreement which will be adjusted from SD @5% from bill.



11. The awarded bidder shall maintenance the work for a period of 03(Three) years at his own cost and another 02(Two) Years AMC as per agreement.
12. If L1 bidder fails unwilling to do the work in time, the authority will award the work to next (L2) bidder and penalty will be imposed to L1 bidder for non-execution of the work and may be Black Listed.
13. The bidder shall give a minimum warranty period of 03 years from the date of commissioning of the items at destination and an extended period of warranty for another 02 years as per agreement.
14. Terms of Payment: Payment to the successful tenderer shall be made only after items are received in good and serviceable condition as per conditions stipulated in the quotation documents along with required documents submitted to Executive Officer Nayagarh Municipality in support of Bills. 90% of the bill amount will be released after successful commissioning & operational of the system & 10% of the Bill amount shall be retained towards "Performance Security". This amount can be released after completion of maintenance period of Tender Condition.
15. The bidder shall not raise any claim in any manner after the Bill amounts are cleared against the purchase order.

The authority reserves the right to accept or reject any or all the quotation without assigning any reason thereof.

Signature of Tenderer/Agency

Executive Officer
Nayagarh Municipality

